




Europäisches  
Patentamt

European  
Patent Office

Office européen  
des brevets



Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application described on the following page, as originally filed.

Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

00201493.4

Der Präsident des Europäischen Patentamts;  
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets  
p.o.

I.L.C. HATTEN-HECKMAN

DEN HAAG, DEN  
THE HAGUE, 09/04/01  
LA HAYE, LE



mis Page Blank (uspto)



Europäisches  
Patentamt

European  
Patent Office

Office européen  
des brevets

**Blatt 2 der Bescheinigung**  
**Sheet 2 of the certificate**  
**Page 2 de l'attestation**

Anmeldung Nr.:  
Application no.: 00201493.4  
Demande n°:

Anmeldetag:  
Date of filing: 25/04/00  
Date de dépôt:

Anmelder:  
Applicant(s):  
Demandeur(s):  
Mannesmann VDO Aktiengesellschaft.  
60388 Frankfurt am Main  
GERMANY

Bezeichnung der Erfindung:  
Title of the invention:  
Titre de l'invention:  
Vehicle navigation system with interface to an organizer device

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s) revendiquée(s)

Staat:  
State:  
Pays:

Tag:  
Date:  
Date:

Aktenzeichen:  
File no.  
Numéro de dépôt:

Internationale Patentklassifikation:  
International Patent classification:  
Classification internationale des brevets:  
G01C21/26

Am Anmeldetag benannte Vertragsstaaten:  
Contracting states designated at date of filing: AT/BE/CH/CY/DE/DK/ES/FI/FR/GB/GR/IE/IT/LI/LU/MC/NL/PT/SE/~~UK~~  
Etats contractants désignés lors du dépôt:

Bemerkungen:  
Remarks:  
Remarques:

This Page Blank (uspto)

# Empfangsbescheinigung / Receipt for documents / Récépissé de documents 6

(Liste der diesem Antrag beigefügten Unterlagen)

(Checklist of enclosed documents)

(Liste des documents annexés à la présente requête)

Es wird hiermit der Empfang der unten bezeichneten Dokumente bescheinigt / Receipt of the documents indicated below is hereby acknowledged / Nous attestons le dépôt des documents désignés ci-dessous

Wird im Falle der Einreichung der europäischen Patentanmeldung bei einer nationalen Behörde diese Empfangsbescheinigung vom Europäischen Patentamt übersandt, so ist sie als Mitteilung gemäß Regel 24(4) anzusehen (siehe Feld RENA). Nach Erhalt der Mitteilung nach Regel 24(4) sind alle weiteren Unterlagen, die die Anmeldung betreffen, nur noch unmittelbar beim EPA einzureichen. / If this receipt is issued by the European Patent Office and the European patent application was filed with a national authority it serves as a communication under Rule 24(4) (see Section RENA). Once the communication under Rule 24(4) has been received, all further documents relating to the application must be sent directly to the European Patent Office. / Si, en cas de dépôt de la demande de brevet européen auprès d'un service national, l'Office européen des brevets délivre le présent récépissé de documents, ce récépissé est réputé être la notification visée à la règle 24(4). Dès que la notification visée à la règle 24(4) a été reçue, tous les autres documents relatifs à la demande doivent être adressés directement à l'OEB.

☐

☐

**SCHOONHEIJM, Harry Barend**  
**VDO Car Communication Nederland B.V.**  
**Glaslaan 1**  
**5600 JB EINDHOVEN**  
**THE NETHERLANDS**

☐

☐

Nur für amtlichen Gebrauch / For official use only / Cadre réservé à l'administration

Datum / Date

27.04.00



Unterschrift / Amtstempel / Signature / Official stamp / Cachet officiel

Anmeldenummer / Application No. / N° de la demande

00201493.4

Tag des Eingangs (Regel 24(2)) / Date of receipt (Rule 24(2)) / Date de réception (règle 24(2))

DREC

25.04.00

Zeichen des Anmelders/Vertreters / Applicant's / Representative's ref. / Référence du demandeur ou du mandataire

AREF

PC / mhr

Nur nach Einreichung der Anmeldung bei einer nationalen Behörde: / Only after filing of the application with a national authority: / Seulement après le dépôt de la demande auprès d'un service national:

Tag des Eingangs beim EPA (Regel 24(4)) / Date of receipt at EPO (Rule 24(4)) / Date de réception à l'OEB (règle 24(4))

RENA

A. Anmeldeunterlagen und Prioritätsbeleg(e) / Application documents and priority document(s) / Pièces de la demande et document(s) de priorité

47

1. Beschreibung / Description

2. Patentansprüche / Claim(s) / Revendication(s)

3. Zeichnung(en) / Drawing(s) / Dessin(s)

DRAW 1 #

4. Zusammenfassung / Abstract / Abrégé

5. Übersetzung der Anmeldeunterlagen / Translation of the application documents / Traduction des pièces de la demande

6. Prioritätsbeleg(e) / Priority document(s) / Document(s) de priorité

7. Übersetzung des (der) Prioritätsbelegs/belege / Translation of priority document(s) / Traduction du (des) document(s) de priorité

48

Der Anmeldung in der eingereichten Fassung liegen folgende Unterlagen bei: / This application as filed is accompanied by the items below: / A la présente demande sont annexées les pièces suivantes:

1. Einzelvollmacht / Specific authorisation / Pouvoir particulier

2. Allgemeine Vollmacht / General authorisation / Pouvoir général

3. Erfindernennung / Designation of inventor / Désignation de l'inventeur

4. Früherer Recherchenbericht / Earlier search report / Rapport de recherche antérieure

5. Gebührenzahlungsvordruck (EPA Form 1010) / Voucher for the settlement of fees (EPO Form 1010) / Bordereau de règlement de taxes (OEB Form 1010)

6. Scheck (ausgeschlossen bei Einreichung bei den nationalen Behörden) / Cheque (not when filing with national authorities) / Chèque (pas de chèque en cas de dépôt auprès des services nationaux)

7. Datenträger für Sequenzprotokoll / Data carrier for sequence listing / Support de données pour liste de séquences

SEQL (4)

8. Zusatzblatt / Additional sheet / Feuille additionnelle

9. Sonstige Unterlagen (bitte hier spezifizieren) / Other (please specify here) / Autres documents (veuillez préciser ici)

C. Kopien dieser Empfangsbescheinigung / Copies of this receipt for documents / Copies du présent récépissé de documents

49

☐  
☐  
☒  
☐  
☒  
☐  
☐  
☐  
☐

2

**ZUR KASSE**

Währung Betrag / Currency Amount / Monnaie Montant (Ausfüllung freigestellt / optional / facultatif)

DEM. 1.597'91

Anzahl der Kopien / Number of copies / Nombre de copies

\* Die Richtigkeit der Angabe der Blattzahl und der Gesamtzahl der Abbildungen wurde bei Eingang nicht geprüft / No check was made on receipt that the number of sheets and the total number of figures indicated was correct / L'exactitude du nombre de feuilles et du nombre de figures n'a pas été contrôlée lors du dépôt

*This Page Blank (uspto)*

25. 04. 2000

1

(74)

## Vehicle navigation system

The invention relates to a vehicle navigation system provided with various interlinked facilities, including a user I/O facility, a route planning facility and a position determining facility. The invention also relates to a method for operating such a system.

Vehicle navigation systems have become widespread. Their purpose is generally to facilitate the planning of a user's itinerary on various levels, such as through geographically selecting an optimum route, through the setting of temporal specifications with respect to various destination locations or categorized activities, to the heuristic solving of the "travelling salesman" problem, and other. Various other functional devices that have been coming into use could amplify the functionalities of the navigation system to an enormous degree. A particular device is the so-called organizer device, that is quite often portable. Associated functions in question are the following:

- Loading of routes planned earlier from the organizer device into the navigation system

- Loading personal and other names from the organizer into the navigation system that therefrom can complete the necessary data for planning the route, whilst combining and arranging the various destinations according to geographical proximity and other criteria

- Reporting actual arrival times, travel times, and the like to the organizer that can use these for updating its internal organizer data, such as those relating to future appointments

- Warning a user person about a next journey to start, in accordance with appointments that have been made on the level of the organizer.

Physically combining a navigation system with such

organizer device will provide for a more efficient coupling and retrocoupling between the various components of the hybridized organization, and therefore raise productivity, as well as allow new and improved results over those of the prior art.

5        It is an object of the present invention to physically integrate the functionality of a vehicle navigation system and various functionalities pertaining to the field of office automation, and in particular, the functional features of an organizer device.

10       Therefore, a vehicle navigation system provided with various interlinked facilities, including a user I/O facility, a route planning facility and a position determining facility according to the invention is characterized in that the navigation system is arranged to physically interface to a data  
15       communication facility pertaining to an organizer device.

A preferred embodiment of such system is characterized in that said navigation system is arranged to signal actual route data to said organizer device for consideration in a preexistent timetable or diary context.

20       Such system is preferably characterized in that said organizer device is arranged to signal actual diary or timetable data to said navigation system for consideration in a preexistent or future route scheme context.

25       Another preferred embodiment of a comprehensive navigation system with various interlinked facilities, including a user I/O facility, a route planning facility and a position determination facility according to the invention is characterized in that it is physically interfaced to a data communication facility pertaining to an organizer device.

30       A method for operating a vehicle navigation system provided with various interlinked facilities, including a user I/O facility, a route planning facility and a position determining facility, according to the invention is characterized by physically interfacing the navigation system



to a data communication facility pertaining to an organizer device.

These and further aspects and advantages of the invention  
5 will be discussed more in detail hereinafter with reference to the disclosure of preferred embodiments, and in particular with reference to the appended Figures that show in:

Figure 1 an overall diagram of a vehicle navigation system according to the invention;

10 Figure 2 an integrated combination of a navigation system and an organizer device;

Figure 3 the same combination connected through a wired interface;

Figure 4 ditto for a broadcast or infrared link;

15 Figures 5a, 5b two configurations through combining aspects of the earlier combinations;

Figure 6 a block diagram of an interacting combination of navigation system and organizer.

20 The principle of the invention is to combine the functionalities of a vehicle navigation system on the one hand, and of an organizer device on the other hand. The latter device may be part of the navigation system itself, or will be able to communicate on an interface that connects the navigation system  
25 with the organizer device. For example, the organizer device is provided to load organizer data into the navigation system, and to therefrom receive data for use on the organizer device level.

Figure 1 shows an overall diagram of a comprehensive  
30 navigation system, that by way of example has nine subsystems, as follows. Block 20 symbolizes a user person who wants to be guided by the system. The user interfaces bidirectionally to the system's I/O that may have various hardware and software facilities such as keyboard, mouse, speech, other audio, and

display. Block 32 represents an institutional data base that may store various entries, such as representing hotels, restaurants or other facilities, together with associated data such as location, business hours, and actual services present  
5 at those facilities. Block 34 represents a navigational data base that may comprise a road network, together with physical distances or travel time distances between representative points, road classifications, and others. Block 36 represents a position system that detects an actual position of the vehicle,  
10 such as through using a well known GPS system. Block 26 represents an event table, such as listing a road block or jam situation that has been communicated by a higher level authority such as as a **Radio Data System**, and which event may cause certain destination to be no longer reachable, or only  
15 in a delayed manner, or which may necessitate the vehicle to take a detour.

Block 28 represents a destination table that contains the destinations and associated timing indications, such as entered by the user through block 22, and subject to information from  
20 the travel planning in block 24, the institutional data base in Block 32, and the event table in block 26. Block 30 represents a navigational computer that is fed with the destination table from block 28, with the navigational data base from block 34, and with the position from block 36. From these informations it  
25 can figure out a route to be taken, which route may contain various interval points and furthermore, timing indications associated to the various interval points. Block 24 represents the travel planning that is fed by the information from the navigational computer 30, and which block 24 furthermore  
30 bidirectionally interfaces to the destination table in Block 28, and to the User I/O in Block 22. The travel planning will update the destination table if it fails to find a correct solution for attaining all interval points, and it will signal the user what route is to be taken, as well as will signal the

above failure to allow the user to modify the set of interval points and/or associated timing indications. Now, although the system depicted in figure 1 is fairly comprehensive, a person skilled in the art will recognize that often not all diagram blocks will be necessary in the embodiment of the present invention.

Figure 2 shows an integrated combination 44 of a navigation system 46 and an organizer 48. The latter comprises a diary 50 with listed appointments and other time-related data, such as birthdays or holidays. Also, the diary can specify certain destinations that should be visited on particular days or instants. According to a predetermined schedule, such items may be communicated self-reliantly along the connection shown to the navigation system system for consideration therein, such as by including them in a journey as destinations, or otherwise.

Figure 3 shows the same combination 52, 58, 60 interconnected through a wired interface by means of communication modules 54, 56, but not integrated. This configuration allows to unplug the organizer for hand-carrying by a user person, that now need not always be the same, inasmuch as the vehicle and its navigation system may be shared by various persons.

Figure 4, shows the same combination 62, 74, 72 interconnected through a wireless, by means of transmitter/receiver modules 66, 68. The communication may be effected by infrared IRDA, by the so-called Bluetooth organization, or by another close range link. This allows to undertake the communication under line-of-sight conditions, or in another more or less close geometry. Alternatively, the communication may be effected in the form of further ranging broadcast such as used in the GSM organization.

Figures 5a, 5b show two configurations through combining aspects of the earlier combinations. In Figure 5a, the overall

system 78, 82, 84, 86, 88 is wired, but the residential module 78 contains both the navigation system 76, the communication module 82, and also an organizer subsystem 80 that represents a part of the overall organizer functionality, such as the diary for only a limited time interval, such the next week. The embodiment of Figure 5b has similar subsystems 90, 92, 94, 96, 102, 103, 104, combined with the wireless feature of Figure 4, by means of transmitter/receiver modules 98, 100.

Figure 6 shows a block diagram of an interacting combination of a navigation system, and an organizer device, broken up into functional versus communication subsystems. The central navigation system comprises a navigational computer 114, a navigation memory 118, navigation system I/O 115 that in particular comprises the user interface, and other navigation system subsystems 116. The computer, as in Figure 1, is arranged for route planning, assessing of routes actually taken, checking for problems associated with occurring delays and other problems such as a fuel low. The memory stores the route planned to be taken, the route already accomplished, and various other items, such as the instant when a legally prescribed rest interval must be taken between the driving periods. Block 112 represents the organizer/navigation system interface, that may be activated by either of the two communicating devices, such as based on an interrupt system, or according to periodic polling, by either of the two parties. Block 108 is the organizer computer that keeps up addresses, appointments, time schedules, and various other items as appropriate. The organizer has a user I/O subsystem 106 and an organizer memory 110.

25. 04. 2000

7

(74)

## CLAIMS:

1. A navigation system provided with various interlinked facilities, including a user I/O facility, a route planning facility and a position determining facility, characterized in  
5 that the navigation system is arranged to physically interface to a data communication facility pertaining to an organizer device.
2. A navigation system as claimed in claim 1,  
characterized in that said navigation system is arranged  
10 to signal actual route data to said organizer device for consideration in a preexistent timetable or diary context.
3. A navigation system as claimed in claim 1,  
characterized in that said organizer device is arranged to  
signal actual diary or timetable data to said navigation system  
15 for consideration in a preexistent or future route scheme context.
4. A navigation system with various interlinked facilities, including a user I/O facility, a route planning facility and a position determination facility as claimed in,  
20 claim 1, characterized in that it is physically interfaced to a data communication facility pertaining to an organizer device.
5. A navigation system as claimed in claim 4,  
characterized in that said organizer device is integrated into the navigation device.
- 25 6. A navigation system as claimed in claim 4,  
characterized in that said organizer device is connected to the navigation device through fixed interconnection means (54, 56).
7. A navigation system as claimed in claim 4,  
characterized in that said organizer device is connected to the  
30 navigation device through wireless interconnection means (66, 68).
8. A navigation system as claimed in claim 4,  
characterized in that the organizer device functionality is split into a first part that is integrated into the navigation

system, and into a second part that is connected to the navigation system through a linking that is external relative to said navigation system.

9. A method for operating a vehicle navigation system  
5 provided with various interlinked facilities, including a user I/O facility, a route planning facility and a position determining facility, characterized by physically interfacing the navigation system to a data communication facility pertaining to an organizer device.


## ABSTRACT:

A navigation system is provided with various interlinked facilities, including a user I/O facility, a route planning facility and a position determining facility. In particular, the navigation system is arranged to physically interface to a data communication facility pertaining to organizer device.

FIGURE WITH ABSTRACT: 6

This Page Blank (uspto)



**Fig. 1**

2 / 3




Fig. 2




Fig. 3




Fig. 4




Fig. 5a




Fig. 5b

3 / 3


EPO - DG 1  
25. 04. 2000

Fig. 6

This Page Blank (uspto)